

Molding - Casting & Replication

CHAPTERS

| | |
|--|-----------|
| Preface | 1 |
| Introduction | 2 |
| The History of Molding and Casting | 3 |
| The History of Ceramics | 4 |
| The History of Gypsum | 4 |
| The History of Copper | 5 |
| The History of Synthetic Resins | 9 |
| The Mold or Cast | 11 |
| Object and Molding Materials | 11 |
| The Prototype or Model as an Object of Molding | 13 |
| Reference Points | 14 |
| Transfer of the Points to the Clay Model | 15 |
| From the Clay Model to the Plaster Model | 17 |
| From the Live Model Directly to the Plaster Model | 17 |
| Mold or Matrix or Form or Negative | 18 |
| Pre-treatments for Molding | 18 |
| Mold-Releasing Agents | 19 |
| Soapy Water | 20 |
| Paraffin Oil and Petroleum Jelly (Vaseline) | 22 |
| Polyvinyl alcohol (PVA) | 23 |
| Releasing Waxes | 23 |
| Wet Paper | 24 |
| Tin-Foil | 25 |
| Talc | 26 |
| Shellac | 26 |
| Partition of the Model | 27 |
| Partition Materials - Shims or Fences | 28 |
| Sprues and Vents | 33 |
| Keys | 35 |
| Clamps and the eye hooks | 39 |
| Armature and the Reinforcement of Casting Materials | 43 |
| Reinforcement of Gypsum with Sisal Fiber | 43 |
| Mesh Reinforcement | 44 |
| Reinforcement with Fiberglass Fabrics | 45 |

| | |
|---|-----------|
| Polypropylene (PP) and Polyethylene (PE) Staple Fibers | 46 |
| Reinforcement with Metal Bars | 47 |
| Vacuum Pump and Pressure Chamber for Casting Materials | 48 |
| Plaster, Origin - Properties | 49 |
| Processing of Plaster | 50 |
| Plaster Preparations | 51 |
| Plaster Application | 52 |
| Plaster Molds | 54 |
| Waste Mold | 54 |
| Plaster Waste Mold Making | 55 |
| Multiple-Piece Mold | 60 |
| Molding Processes with Multiple-Piece Molds | 61 |
| Steps of Multiple-Piece Mold Making | 62 |
| Rubbers - Elastomeric Natural and Synthetic Resins | 68 |
| Advantages and Disadvantages of Synthetic Elastomers (RTV) | 69 |
| Polysulfide Rubber - Thiokol® (Polymer) | 70 |
| Casting with Latex | 74 |
| Thickening Latex for Lamination Casting | 76 |
| Molding with Thermoforming | 77 |
| Synthetic Rubber | |
| Preparation of Thermoforming Vinyl Rubber | 78 |
| Laminated Casting of Thermoforming Vinyl Rubber | 79 |
| Applying Thermoforming Rubber by Casting | 82 |
| Silicone Elastomers or Silicone Rubbers | 83 |
| Poly-Addition and Poly-Condensation | 84 |
| Silicones Compared | |
| Molding with Silicone Rubbers | 85 |
| Silicone Rubber Mold with Laminated Casting | 85 |
| Shim or Fence for Silicon Rubbers | 86 |
| Mold Releasing Agents for Silicone Molds | 86 |
| Silicon Laminated Casting Using Thixotropic | 87 |

| | |
|---|------------|
| Agents | |
| Detailed Molding Processes with Laminated Casting | 88 |
| Molding by Lamination Casting of Delicate Objects | 91 |
| Molding Using Tin-foil | 92 |
| Molding with Silicone Rubber Putty | 94 |
| Putty Silicone Application on a Full-Body Sculpture | 94 |
| Putty Silicone Relief in Application | 96 |
| Molding With Silicone Rubber Molding | 97 |
| Making the Gap Between the Model and Mother Mold | 97 |
| Calculating the Silicone - Catalyst Ratio | 98 |
| Extra Steps- Ducts in the Rubber Mold for Inlet of the Casting Material | 100 |
| Casting Failures in Silicone Rubber Molds | 101 |
| Casting With Silicone Rubber | 102 |
| The Simplest Molding Technique With Silicone Rubber | 102 |
| Cutting the Rubber Mold | 103 |
| Molding Small Full-Face Sculptures With Shims and Fences | 105 |
| Silicone Casting in the Gap Between Model and Mother Mold | 107 |
| Multiple-Piece Silicone Mold | 115 |
| Double-Sided Mold | 119 |
| Double-sided Mold of a Flexible Model | 120 |
| Vulcanized Silicon Molds (HTV) | 125 |
| Rubber Molds Without a Vulcanizer | 126 |
| HTV Silicone Rubber Molds With a Vulcanizer | 129 |
| Molding a Live Model | 131 |
| Molding an Arm or Leg With Plaster | 132 |
| Face Casting With Plaster Gauze | 134 |
| Body Molding With Plaster Gauze | 135 |
| Alginate Rubber Mold | 137 |
| Molding alginate by immersion | 137 |
| Alginate Mold by Coating | 139 |
| Facial Molding With Alginates | 142 |
| Molding a Live Model With Body | 144 |
| Silicones | |

| | |
|--|------------|
| Molding a Live Model With Body Silicone Rubber | 145 |
| From the Body Cast to the Replication Mold | 148 |
| From the simple mold to the main double-sided mold | 149 |
| Inner Mold or Core | 153 |
| Molding With Synthetic Resins | 157 |
| Casting With Elastomeric Polyurethane | 157 |
| Molds Made of Rigid Resins (Acrylic, Epoxy, Polyurethane) | 159 |
| Resin Casting Using a Vacuum Pump | 164 |
| Casting by Suction in a Vacuum Mold | 172 |
| Molds With 3D Printing | 177 |
| From Molding to Replication With | 181 |
| Various Casting Materials | |
| Opening the Waste Mold by Chipping | 182 |
| Opening the Waste Mold by Chipping | 186 |
| Casting Plaster of Paris in Multiple-Piece Molds | 190 |
| Casting a Large Plaster Relief Using a Multiple-Piece Mold | 193 |
| Casting Plaster in a Rubber Mold | 195 |
| Additional Work on Plaster Castings – Support | 197 |
| Casting With Hard Plaster (Dental) | 199 |
| Hard Plaster Casting Processes | 200 |
| Mixed Process – Casting and Laminated Casting | 202 |
| Laminated Casting With Hard Plaster | 203 |
| Retouching Hard Plaster | 205 |
| Clay Origin and Properties | 207 |
| Casting With Clay | 209 |
| The Mold for Slip Casting Clay | 210 |
| Production of Ceramic by Slip Casting | 213 |
| Preparing the Clay for Slab Casting | 215 |
| Slab Casting | 216 |
| Retouching in Clay | 220 |
| Slab Casting Clay in a Silicone Mold | 221 |
| Summary of Clay Slab Casting Procedures | 223 |
| Casting with Cement Mortar | 228 |
| Laminated Casting With Cement Mortar | 229 |

| | |
|--|------------|
| Casting With Full-Body Hollow Cement Mortar | 231 |
| Casting With Synthetic Resins | 234 |
| Admixtures, Fillers and Reinforcement Materials for Resins | 236 |
| Aggregates and Fillers for Resins | 237 |
| Reinforcement of Resins With Glass Fabrics | 241 |
| Resin Pigments | 243 |
| Mold-Releasing Agents for Resins – Application Procedures | 246 |
| Technical Data - Chemical and Physical Properties | 248 |
| Usual Technical Processing Instructions from Manufacturers | 249 |
| Processing of Resins | 252 |
| Acrylic Resin | 253 |
| Polyester Resin | 254 |
| Crystal Clear Polyester Casting Resin | 255 |
| Epoxy Resin | 256 |
| Transparent Epoxy Resin – Liquid Glass | 257 |
| Flexible Epoxy Resin | 258 |
| Polyurethane Resin | 258 |
| Polyurethane Types | 259 |
| Casting With Acrylic Resin | 261 |
| Acrylic Resin Mixed With Metal Powders | 263 |
| Mother Mold With Acrylic Resin | 265 |
| Acrylic Resin Coating | 267 |
| Acrylic Resin as Undercoat Instead of Mortar | 268 |
| Casting With Polyester | 269 |
| Polyester by Laminated Casting | 270 |
| Polyester Hollow Sculpture by Laminated Casting | 271 |
| Retouching Polyester | 274 |
| Casting With Epoxy and Polyurethane Resins | 275 |
| Processing of Epoxy and Polyurethane Resin | 278 |
| Casting Transparent Resin or Liquid Glass | 279 |
| Coating Resins for Objects and Images | 280 |
| Transparency Recovery With Resin | 281 |
| Two-Component Water Primer and Coating Epoxy Resin | 281 |

| | |
|---|------------|
| Model Polishing With Coating Epoxy Resin | 282 |
| Model Glossing With a Two-Component Epoxy Primer | 283 |
| Model and Mold for Producing a Transparent Object | 284 |
| Surface Coloring With Transparent Coating Resin | 285 |
| Casting in an Open Mold With Opaque Epoxy Resin | 286 |
| Transparent Epoxy Casting in an Open Mold | 287 |
| Casting in an Open Mold With Transparent Epoxy Resin | 288 |
| Liquid Glass or Crystal-Clear Epoxy Resins | 289 |
| Crystal-Clear Polyurethane Transparent Resin | 290 |
| Object Encapsulation in Liquid Glass Resins | 291 |
| Bubbles in Synthetic Resins | 292 |
| Synthetic Resin Surface Polishing | 294 |
| Retouching and Finishing Laminated Resins | 296 |
| Casting Transparent Polyurethane With Aggregates | 297 |
| Fast-Casting Polyurethane in a Vacuum Chamber | 299 |
| Casting in a Pressure Chamber | 301 |
| Gradual Casting of Synthetic Resins | 302 |
| Epoxy Resin Laminated Casting | 304 |
| Expanding Polyurethane | 306 |
| Expanding Polyurethane as a Cast Filler | 306 |
| Rigid Expanding Polyurethane in Direct Casting | 308 |
| Rigid Semi-expanding Polyurethane | 309 |
| Semi-expanding Polyurethane as a Casting Filler | 310 |
| Pressure Casting of Expanding Resins | 311 |
| Expanding Epoxy Resin | 312 |
| Polyurethane Rubber for Casting Replicas | 313 |
| Flexible Polyurethane Foam | 314 |
| Epoxy Coating Resin by Vacuum Infusion | 315 |
| Molding With Body Silicone Rubber | 318 |
| Casting a Lifelike Silicone Figure | 319 |
| Detailed Silicone Rubber Casting | 323 |
| Casting Silicone in a Double-Sided Mold | 325 |
| Mask Making by Casting Latex | 329 |
| Papier Mâché With Pulped or Mashed Paper | 333 |
| Making Objects With Pulped Paper | 335 |

| | |
|--|------------|
| Making Objects by Gluing Shredded Paper | 337 |
| Using Wax in Molding, Casting, and Replication | 339 |
| Lifelike Wax Figure-Making | 341 |
| Brass and Bronze Casting | 347 |
| Sand Casting | 347 |
| Sand Casting Process | 349 |
| Sand Casting Equipment | 350 |
| Description of Sand Casting Processes | 351 |
| Lost-Wax Casting or Investment Casting | 355 |
| Wax Model | 356 |
| Wax Model by the Massive Casting Method | 357 |
| Wax in Microsculpture and Silversmithing | 358 |
| Welding and Retouching Wax | 359 |
| Working in a Metal Foundry | 361 |
| The Spruing System | 361 |
| Investment or Ceramic Shell | 362 |
| Burnout | 363 |
| Casting | 364 |
| Casting by the Lost-Wax Method | 365 |
| Steps of Metal Casting by Gravity | 365 |
| Metal Casting by Gravity in Pictures | 366 |
| Casting With the Lost Wax Method in Detail | 368 |
| Foundry Centrifuge and Vacuum | 376 |
| Casting Equipment | |
| Centrifugal Casting | 378 |
| Vacuum Casting | 382 |
| Defects and Failures in Metal Casting | 384 |
| Retouching Metal | 386 |
| Lost-Wax Casting or Investment Casting | 391 |
| Patina on Plaster Casts | 392 |
| Oil Patinas on the Plaster Copy – Imitating Marble | 393 |
| Oil Patina on Other Materials | 395 |
| Patinas With Acrylic Paints – Imitating Bronze | 396 |
| Oxidation | |

| | |
|--|------------|
| Patina on Ceramics With Acrylic Paint Glazes | 399 |
| Patinas With Wax Varnishes | 405 |
| Inner Patina for Resins | 407 |
| Coloring and Imitation With Transparent Resins – Liquid Glass | 409 |
| Exterior Transparent Resin Surface Coloring | 410 |
| Internal Transparent Resin Surface Coloring | 412 |
| Coloring a Silicone Cast | 413 |
| Surface Coloring of Resins With Acrylic Paints | 415 |
| Gilding and Plating | 415 |
| Patina With Chemical Oxidation on Acrylic Resin | 416 |
| Patina on Brass and Bronze | 417 |
| Cold-Acting Oxidation of Brass and Bronze | 417 |
| Brown Cold-Acting Oxidation Process | 418 |
| Green Cold-Acting Oxidation Process | 420 |
| Oxidation of Brass and Bronze by Heating | 421 |
| Detailed Procedures for Applying Patina by Heating the Metal | 423 |
| Varnishing Metal | 426 |
| Tablets | 427 |
| Safety | 427 |
| Temperature Comparison | 430 |
| Ounces to Grams formula and Vice Versa | 430 |
| Convert from Pounds to Kilograms and Vice Versa | 431 |
| Inches to Centimeters Formula and Vice Versa | 431 |
| Glossary of Technical Terms | 432 |
| Bibliography | 437 |
| About the author | 440 |